Product Name: DOUBLE SIDED ACRYLIC FOAM TAPE WITH SOLVENT

SECTION I. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Double Sided Acrylic Foam Tape With Solvent

Manufacturer: Anenda Systems, Inc. – AL 13 E-mail: info@al13.ca

2-606 Meridith Road Website: www.al13.ca Calgary NE, Alberta Phone: 1-855-438-2513

Canada T2E 5A8

SECTION II. HAZARDS IDENTIFICATION

Hazards classification: Not applicable

Specific hazards: No particular

SECTION III. COMPOSITION/INFORMATION ON INGREDIENTS

Distinction between a substance and a preparation: Article material (The mentioned product is an article material and not a chemical one which MSDS is required officially).

Common chemical name or	Acrylic based	Acrylic	Red Film
Generic name	adhesive		
Synonyms	Glue	Backing material	Release liner

SECTION IV. FIRST AID MEASURES

Inhalation: Generally speaking, no possibility of inhalation.

Skin contact: Wash and clean with enough water and soap. Ask for a doctor immediately when a

skin rash is developed.

Eye contact: Wash and clean it off with running water for more than 15mins right away. Ask for

a doctor if necessary.

Ingestion: Immediately induce vomiting and send for a doctor.

A brief description of most important symptoms and influence: No particular.

Protection of first-aiders: No particular.

Special suggestion to a physician: No particular.

Product Name: DOUBLE SIDED ACRYLIC FOAM TAPE WITH SOLVENT

SECTION V. FIRE FIGHTING MEASURES

Extinguishing media: Amount of water, ABC extinguishers, powder extinguishers, carbon

dioxide extinguisher.

Protection of firefighter: Apply Gas mask and Goggles if requested.

SECTION VI. ACCIDENTAL RELEASE MEASURES

Personal precautions: Nothing due to impossibility of release.

Environmental precautions: Nothing due to impossibility of release.

Methods for cleaning

Recovery: Nothing due to impossibility of release. **Neutralization**: Nothing due to impossibility of release.

Disposal: Nothing due to impossibility of release.

SECTION VII. HANDLING AND STORAGE

Technical measures: No particular.

Precautions: No particular.

Safe handling advice: No particular.

Storage

Technical measures: No particular. **Incompatible products**: No data.

Storage conditions

Suggested storage condition: Avoid direct sunlight and store it in a place at normal temperature

and stable humidity.

Avoided storage condition: Avoid keeping under high temperature. **Recommendation**: Keep package form of products in good status.

SECTION VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection: No required.

Hand protection: No required. **Eye protection**: No required.

Skin and body protection: No required.

SECTION IX. PHYSICAL AND CHEMICAL PROPERTIES

Product Name: DOUBLE SIDED ACRYLIC FOAM TAPE WITH SOLVENT

Form: Roll type.

Color: Adhesive: Unclear yellow.

Odor: No particular.

pH: No data.

Specific temperature / temperature range at which changes in physical state happen

Boiling point: No data. Boiling range: No data. Fusing point: No data. Flash point: No data.

Explosion properties: No data.

Density: No data.

Solubility: Insoluble in water. **Other data**: Inflammability.

SECTION X. CHEMICAL STABILITY AND REACTIVITY INFORMATION

Stability: Stable under normal environment.

Possible hazardous reactions occurring under specific condition: No data.

Hazardous decomposition products: No data.

SECTION XI. TOXICOLOGICAL INFORMATION

Acute toxicity: No data. Local toxicity: No data.

SECTION XII. ECOLOGICAL INFORMATION

Mobility: No data. **Persistence**: No data.

Bioaccumulation: No data. **Eco-toxicity**: No data.

SECTION XIII. DISPOSAL CONSIDERATIONS

Product Name: DOUBLE SIDED ACRYLIC FOAM TAPE WITH SOLVENT

Product: Dispose of the products as industrial waste. When burning it, use an incinerator that meet its technical guidelines. (The residence time is 2 seconds more or less at temperature of

800°C or more). Contact authorized industrial waste treatment company for off-site disposal.

Water from residues: Dispose of the products as industrial waste. When burning it, use an incinerator that meet its technical guidelines. (The residence time is 2 seconds more or less at

temperature of 800°C or more). Contact authorized industrial waste treatment company for off-

site disposal.

Contaminated packaging: Contact a recycling manufacturer.

SECTION XIV. TRANSPORT INFORMATION

Land: Abide with the general cautions in "Handling and Storage" section.

Make sure the container is free from leakage. Load carefully to prevent the container from shock, failing or breaking.

Inland waterways: Abide with the general cautions in "Handling and Storage" section. Make sure the container is free from leakage. Load carefully to prevent the container from shock, failing or breaking.

Sea: Abide with the general cautions in "Handling and Storage" section.

Make sure the container is free from leakage. Load carefully to prevent the container from shock, failing or breaking.

Air: Abide with the general cautions in "Handling and Storage" section.

Make sure the container is free from leakage. Load carefully to prevent the container from shock, failing or breaking.

SECTION XV. REGULATORY INFORMATION

No particular.

SECTION XVI. OTHER INFORMATION

• Handle this product with great care, since the evaluation of its danger and toxicity may be insufficient.

Product Name: DOUBLE SIDED ACRYLIC FOAM TAPE WITH SOLVENT

- The above information is based on the updated data, yet the values content and physical / chemical properties are not ensured.
- The cautionary statements are applicable for ordinary handling only. For special handling, please devise safety measures appropriate for the application.